

BERWICK BANK WIND FARM OFFSHORE ENVIRONMENTAL IMPACT ASSESSMENT

APPENDIX 11.1, ANNEX I:
DESIGN-BASED ANALYSIS –
POPULATION ESTIMATES FOR
FLYING BIRDS GROUPED BY
SPECIES (BERWICK BANK
DEVELOPMENT ARRAY ONLY)

Document Status

Version	Purpose of Document	Authored by	Reviewed by	Approved by	Review Date
Final	SSER Review	HiDef Aerial Surveying Ltd.	HiDef Aerial Surveying Ltd.	HiDef Aerial Surveying Ltd.	July 2022

Compiled by HiDef Aerial Surveying Ltd.

Confidential until approved by the Client.

Approval for Issue

Sarah Edwards



11 November 2022

Prepared by:
Prepared for:

HiDef Aerial Surveying Ltd.
SSE Renewables

Checked by:
Accepted by:
Approved by:

Andrew Logie
Emily Nelson
Sarah Edwards

NOTE

This annex provides both apportioned and unapportioned density and population estimates for flying birds of focal species within the Berwick Bank Development Array only. Estimates provided are deemed to be representative, as flying birds are unaffected by availability bias.

TABLES

Table 1:	Unapportioned density and population estimates of flying common scoters in the Berwick Bank Development Array only, calculated using design-based analysis	1
Table 2:	Apportioned density and population estimates of flying common scoters in the Berwick Bank Development Array only, calculated using design-based analysis	1
Table 3:	Unapportioned density and population estimates of flying kittiwakes in the Berwick Bank Development Array only, calculated using design-based analysis	1
Table 4:	Apportioned density and population estimates of flying kittiwakes in the Berwick Bank Development Array only, calculated using design-based analysis	2
Table 5:	Unapportioned density and population estimates of flying black-headed gulls in the Berwick Bank Development Array only, calculated using design-based analysis	2
Table 6:	Apportioned density and population estimates of flying black-headed gulls in the Berwick Bank Development Array only, calculated using design-based analysis	2
Table 7:	Unapportioned density and population estimates of flying little gulls in the Berwick Bank Development Array only, calculated using design-based analysis	3
Table 8:	Apportioned density and population estimates of flying little gulls in the Berwick Bank Development Array only, calculated using design-based analysis	3
Table 9:	Unapportioned density and population estimates of flying common gulls in the Berwick Bank Development Array only, calculated using design-based analysis	3
Table 10:	Apportioned density and population estimates of flying common gulls in the Berwick Bank Development Array only, calculated using design-based analysis	4
Table 11:	Unapportioned density and population estimates of flying great black-backed gulls in the Berwick Bank Development Array only, calculated using design-based analysis	4
Table 12:	Apportioned density and population estimates of flying great black-backed gulls in the Berwick Bank Development Array only, calculated using design-based analysis	4
Table 13:	Unapportioned density and population estimates of flying herring gulls in the Berwick Bank Development Array only, calculated using design-based analysis	5
Table 14:	Apportioned density and population estimates of flying herring gulls in the Berwick Bank Development Array only, calculated using design-based analysis	5
Table 15:	Unapportioned density and population estimates of flying lesser black-backed gulls in the Berwick Bank Development Array only, calculated using design-based analysis	5
Table 16:	Apportioned density and population estimates of flying lesser black-backed gulls in the Berwick Bank Development Array only, calculated using design-based analysis	6

Table 17:	Unapportioned density and population estimates of flying common terns in the Berwick Bank Development Array only, calculated using design-based analysis	6
Table 18:	Apportioned density and population estimates of flying common terns in the Berwick Bank Development Array only, calculated using design-based analysis	6
Table 19:	Unapportioned density and population estimates of flying Arctic terns in the Berwick Bank Development Array only, calculated using design-based analysis	7
Table 20:	Apportioned density and population estimates of flying Arctic terns in the Berwick Bank Development Array only, calculated using design-based analysis	7
Table 21:	Unapportioned density and population estimates of flying great skuas in the Berwick Bank Development Array only, calculated using design-based analysis	7
Table 22:	Apportioned density and population estimates of flying great skuas in the Berwick Bank Development Array only, calculated using design-based analysis	8
Table 23:	Unapportioned density and population estimates of flying little auks in the Berwick Bank Development Array only, calculated using design-based analysis	8
Table 24:	Apportioned density and population estimates of flying little auks in the Berwick Bank Development Array only, calculated using design-based analysis	8
Table 25:	Unapportioned density and population estimates of flying guillemots in the Berwick Bank Development Array only, calculated using design-based analysis	9
Table 26:	Apportioned density and population estimates of flying guillemots in the Berwick Bank Development Array only, calculated using design-based analysis	9
Table 27:	Unapportioned density and population estimates of flying razorbills in the Berwick Bank Development Array only, calculated using design-based analysis	9
Table 28:	Apportioned density and population estimates of flying razorbills in the Berwick Bank Development Array only, calculated using design-based analysis	10
Table 29:	Unapportioned density and population estimates of flying puffins in the Berwick Bank Development Array only, calculated using design-based analysis	10
Table 30:	Apportioned density and population estimates of flying puffins in the Berwick Bank Development Array only, calculated using design-based analysis	10
Table 31:	Unapportioned density and population estimates of flying red-throated divers in the Berwick Bank Development Array only, calculated using design-based analysis	11
Table 32:	Apportioned density and population estimates of flying red-throated divers in the Berwick Bank Development Array only, calculated using design-based analysis	11
Table 33:	Unapportioned density and population estimates of flying fulmars in the Berwick Bank Development Array only, calculated using design-based analysis	11
Table 34:	Apportioned density and population estimates of flying fulmars in the Berwick Bank Development Array only, calculated using design-based analysis	12
Table 35:	Unapportioned density and population estimates of flying Manx shearwater in the Berwick Bank Development Array only, calculated using design-based analysis	12
Table 36:	Apportioned density and population estimates of flying Manx shearwater in the Berwick Bank Development Array only, calculated using design-based analysis	12

Table 37: Unapportioned density and population estimates of flying gannets in the Berwick Bank Development Array only, calculated using design-based analysis	13
Table 38: Apportioned density and population estimates of flying gannets in the Berwick Bank Development Array only, calculated using design-based analysis.....	13
Table 39: Unapportioned density and population estimates of flying shags in the Berwick Bank Development Array only, calculated using design-based analysis.....	13
Table 40: Apportioned density and population estimates of flying shags in the Berwick Bank Development Array only, calculated using design-based analysis.....	14

Table 1: Unapportioned density and population estimates of flying common scoters in the Berwick Bank Development Array only, calculated using design-based analysis

Table 2: Apportioned density and population estimates of flying common scoters in the Berwick Bank Development Array only, calculated using design-based analysis

Table 3: Unapportioned density and population estimates of flying kittiwakes in the Berwick Bank Development Array only, calculated using design-based analysis

Table 4: Apportioned density and population estimates of flying kittiwakes in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Kittiwake	Density Estimate (birds/ km ²)	Lower 95% CI (birds/ km ²)	Upper 95% CI (birds/ km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	3.55	1.9	5.67	3584	1926	5737	977	27.25%
May-19	3.08	2.36	3.93	3116	2389	3976	415	13.3%
Jun-19	0.75	0.52	1	762	521	1011	127	16.64%
Jul-19	2.12	1.81	2.49	2146	1827	2516	172	7.99%
Aug-19	2.6	2.01	3.22	2634	2029	3258	316	11.98%
Sep-19	0.68	0.36	1.01	685	365	1022	170	24.72%
Oct-19	0.38	0.27	0.49	382	277	494	56	14.61%
Nov-19	0.23	0.12	0.36	230	127	365	64	27.53%
Dec-19	0.19	0.12	0.29	191	117	298	49	25.71%
Jan-20	1.07	0.78	1.36	1080	792	1379	156	14.41%
Feb-20	0.59	0.33	0.92	592	330	932	147	24.75%
Mar-20	2.72	1.57	4	2747	1587	4041	638	23.21%
May S01 20	2.92	1.15	5.17	2950	1165	5222	1027	34.8%
May S02 20	6.73	4.59	8.72	6805	4639	8812	1071	15.74%
Jun-20	8.01	6.71	9.5	8094	6788	9600	736	9.09%
Jul-20	1.7	1.42	1.99	1717	1440	2009	151	8.78%
Aug-20	4.45	3.17	5.7	4500	3210	5762	694	15.4%
Sep-20	3.59	2.59	4.81	3625	2616	4867	558	15.38%
Oct-20	1.29	0.69	2.02	1305	702	2039	347	26.57%
Nov-20	3.47	2.08	5.32	3510	2105	5383	822	23.42%
Dec-20	0.8	0.48	1.25	807	483	1260	210	25.96%
Jan-21	1.13	0.74	1.54	1146	747	1561	210	18.29%
Feb-21	0.48	0.23	0.75	487	232	761	137	28.06%
Apr S01 21	3.77	2.68	5.12	3810	2707	5172	618	16.21%
Apr S02 21	7.29	4.27	11.45	7369	4314	11579	1888	25.62%

Table 5: Unapportioned density and population estimates of flying black-headed gulls in the Berwick Bank Development Array only, calculated using design-based analysis

Table 6: Apportioned density and population estimates of flying black-headed gulls in the Berwick Bank Development Array only, calculated using design-based analysis

Table 7: Unapportioned density and population estimates of flying little gulls in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Little gull	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0	0	0	0	0	0	0	0
May-19	0	0	0	0	0	0	0	0
Jun-19	0	0	0	0	0	0	0	0
Jul-19	0	0	0	0	0	0	0	0
Aug-19	0.01	0	0.02	8	0	24	8	99.81%
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0	0	0	0	0	0	0	0
Dec-19	0	0	0	0	0	0	0	0
Jan-20	0	0	0	0	0	0	0	0
Feb-20	0.02	0	0.06	24	0	63	17	72.94%
Mar-20	0	0	0	0	0	0	0	0
May S01 20	0	0	0	0	0	0	0	0
May S02 20	0	0	0	0	0	0	0	0
Jun-20	0	0	0	0	0	0	0	0
Jul-20	0.01	0	0.03	9	0	30	9	99.69%
Aug-20	0.06	0	0.18	65	0	185	50	76.27%
Sep-20	0	0	0	0	0	0	0	0
Oct-20	0	0	0	0	0	0	0	0
Nov-20	0	0	0	0	0	0	0	0
Dec-20	0.01	0	0.02	8	0	24	8	91.79%
Jan-21	0	0	0	0	0	0	0	0
Feb-21	0	0	0	0	0	0	0	0
Apr S01 21	0	0	0	0	0	0	0	0
Apr S02 21	0	0	0	0	0	0	0	0

Table 8: Apportioned density and population estimates of flying little gulls in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Little gull	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0	0	0	0	0	0	0	0
May-19	0	0	0	0	0	0	0	0
Jun-19	0	0	0	0	0	0	0	0
Jul-19	0	0	0	0	0	0	0	0
Aug-19	0.01	0	0.03	8	0	27	9	105.78%
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0	0	0	1	0	1	1	55.66%
Dec-19	0	0	0	0	0	0	0	0
Jan-20	0	0	0	1	0	1	1	94.64%
Feb-20	0.02	0	0.06	24	0	61	16	66.59%
Mar-20	0	0	0	0	0	0	0	0

Flying Little gull	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
May S01 20	0	0	0	0	0	0	0	0
May S02 20	0	0	0	0	0	0	0	0
Jun-20	0	0	0	0	0	0	0	0
Jul-20	0.01	0	0.02	8	0	24	8	94.16%
Aug-20	0.12	0.03	0.24	118	30	238	53	44.39%
Sep-20	0	0	0	0	0	0	0	0
Oct-20	0	0	0	0	0	0	0	0
Nov-20	0	0	0	0	0	0	0	0
Dec-20	0.01	0	0.02	9	0	24	8	95.81%
Jan-21	0	0	0	0	0	0	0	0
Feb-21	0	0	0	0	0	0	0	0
Apr S01 21	0	0	0	0	0	0	0	0
Apr S02 21	0	0	0	0	0	0	0	0

Table 9: Unapportioned density and population estimates of flying common gulls in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Common gull	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0.01	0	0.03	15	0	34	9	61.22%
May-19	0	0	0	0	0	0	0	0
Jun-19	0	0	0	0	0	0	0	0
Jul-19	0.01	0	0.02	8	0	22	7	85.62%
Aug-19	0	0	0	0	0	0	0	0
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0.05	0.01	0.09	46	14	92	23	48.24%
Dec-19	0	0	0	0	0	0	0	0
Jan-20	0	0	0	0	0	0	0	0
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0	0	0	0	0	0	0	0
May S01 20	0	0	0	0	0	0	0	0
May S02 20	0	0	0	0	0	0	0	0
Jun-20	0	0	0	0	0	0	0	0
Jul-20	0	0	0	0	0	0	0	0
Aug-20	0.03	0	0.08	33	0	79	20	61.04%
Sep-20	0	0	0	0	0	0	0	0
Oct-20	0	0	0	0	0	0	0	0
Nov-20	0	0	0	0	0	0	0	0
Dec-20	0.01	0	0.02	8	0	25	8	99.08%
Jan-21	0.02	0	0.05	25	0	54	13	53.25%
Feb-21	0	0	0	0	0	0	0	0
Apr S01 21	0	0	0	0	0	0	0	0
Apr S02 21	0.05	0.01	0.09	48	8	96	23	47.12%

Table 10: Apportioned density and population estimates of flying common gulls in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Common gull	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0.01	0	0.03	15	0	35	9	62.24%
May-19	0	0	0	0	0	0	0	0
Jun-19	0	0	0	0	0	0	0	0
Jul-19	0.01	0	0.02	8	0	21	7	90.02%
Aug-19	0	0	0	0	0	0	0	0
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0.05	0.01	0.09	48	15	96	23	46.29%
Dec-19	0	0	0	2	0	4	2	95.42%
Jan-20	0	0	0	1	0	1	1	93.16%
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0	0	0	1	1	1	1	46.95%
May S01 20	0	0	0	0	0	0	0	0
May S02 20	0	0	0	0	0	0	0	0
Jun-20	0	0	0	0	0	0	0	0
Jul-20	0	0	0	0	0	0	0	0
Aug-20	0.03	0	0.07	32	1	76	19	60.52%
Sep-20	0	0	0	0	0	0	0	0
Oct-20	0	0	0	1	0	1	1	99.01%
Nov-20	0	0	0	0	0	0	0	0
Dec-20	0.01	0	0.03	13	0	31	9	67.42%
Jan-21	0.02	0	0.05	24	0	50	13	53.96%
Feb-21	0	0	0	0	0	0	0	0
Apr S01 21	0	0	0	1	0	1	1	92.91%
Apr S02 21	0.05	0.01	0.1	48	8	102	24	50.31%

Table 11: Unapportioned density and population estimates of flying great black-backed gulls in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Great black-backed gull	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0	0	0	0	0	0	0	0
May-19	0	0	0	0	0	0	0	0
Jun-19	0.01	0	0.02	9	0	24	8	94.37%
Jul-19	0	0	0	0	0	0	0	0
Aug-19	0	0	0	0	0	0	0	0
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0.02	0	0.07	25	0	72	23	93.7%
Dec-19	0.01	0	0.03	7	0	26	7	99.31%
Jan-20	0	0	0	0	0	0	0	0
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0	0	0	0	0	0	0	0

Flying Great black-backed gull	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
May S01 20	0	0	0	0	0	0	0	0
May S02 20	0	0	0	0	0	0	0	0
Jun-20	0	0	0	0	0	0	0	0
Jul-20	0	0	0	0	0	0	0	0
Aug-20	0	0	0	0	0	0	0	0
Sep-20	0	0	0	0	0	0	0	0
Oct-20	0	0	0	0	0	0	0	0
Nov-20	0	0	0	0	0	0	0	0
Dec-20	0.01	0	0.02	9	0	24	8	92.7%
Jan-21	0.04	0.01	0.07	40	15	70	14	34.83%
Feb-21	0	0	0	0	0	0	0	0
Apr S01 21	0	0	0	0	0	0	0	0
Apr S02 21	0	0	0	0	0	0	0	0

Table 12: Apportioned density and population estimates of flying great black-backed gulls in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Great black-backed gull	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0	0	0	0	0	0	0	0
May-19	0	0	0	0	0	0	0	0
Jun-19	0.01	0	0.02	8	0	24	7	85.23%
Jul-19	0	0	0	0	0	0	0	0
Aug-19	0	0	0	0	0	0	0	0
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0.02	0	0.07	23	0	70	22	97.75%
Dec-19	0.01	0	0.02	7	0	22	7	95.12%
Jan-20	0	0	0	0	0	0	0	0
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0	0	0	0	0	0	0	0
May S01 20	0	0	0	0	0	0	0	0
May S02 20	0	0	0	0	0	0	0	0
Jun-20	0	0	0	0	0	0	0	0
Jul-20	0	0	0	0	0	0	0	0
Aug-20	0	0	0	0	0	0	0	0
Sep-20	0	0	0	0	0	0	0	0
Oct-20	0	0	0	0	0	0	0	0
Nov-20	0	0	0	0	0	0	0	0
Dec-20	0.01	0	0.02	8	0	24	8	91.33%
Jan-21	0.04	0.01	0.07	40	16	70	15	36.35%
Feb-21	0	0	0	0	0	0	0	0
Apr S01 21	0	0	0	0	0	0	0	0
Apr S02 21	0	0	0	0	0	0	0	0

Table 13: Unapportioned density and population estimates of flying herring gulls in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Herring gull	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0.01	0	0.02	8	0	20	6	84.85%
May-19	0	0	0	0	0	0	0	0
Jun-19	0.32	0.22	0.43	328	225	433	54	16.34%
Jul-19	0.15	0.07	0.24	148	66	243	45	30.46%
Aug-19	0.03	0	0.07	31	0	68	18	56.42%
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0.05	0.01	0.1	47	8	100	23	49.06%
Dec-19	0.01	0	0.02	7	0	21	7	93.93%
Jan-20	0	0	0	0	0	0	0	0
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0	0	0	0	0	0	0	0
May S01 20	0	0	0	0	0	0	0	0
May S02 20	0	0	0	0	0	0	0	0
Jun-20	0	0	0	0	0	0	0	0
Jul-20	0.5	0.28	0.75	504	286	757	126	24.98%
Aug-20	0.02	0	0.06	25	0	58	16	66.48%
Sep-20	0	0	0	0	0	0	0	0
Oct-20	0	0	0	0	0	0	0	0
Nov-20	0	0	0	0	0	0	0	0
Dec-20	0.05	0.02	0.1	56	16	107	25	44.73%
Jan-21	0.04	0.01	0.08	40	8	82	20	48.52%
Feb-21	0	0	0	0	0	0	0	0
Apr S01 21	0	0	0	0	0	0	0	0
Apr S02 21	0	0	0	0	0	0	0	0

Table 14: Apportioned density and population estimates of flying herring gulls in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Herring gull	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0.01	0	0.02	8	0	20	7	86.61%
May-19	0	0	0	0	0	0	0	0
Jun-19	0.32	0.23	0.44	328	236	443	55	16.55%
Jul-19	0.15	0.07	0.23	151	76	236	44	28.67%
Aug-19	0.03	0	0.07	33	0	72	18	53.93%
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0.05	0.01	0.1	48	8	101	25	51.98%
Dec-19	0.01	0	0.02	8	0	22	8	93.69%
Jan-20	0	0	0	0	0	0	0	0
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0	0	0	0	0	0	0	0

Flying Herring gull	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
May S01 20	0	0	0	0	0	0	0	0
May S02 20	0	0	0	0	0	0	0	0
Jun-20	0	0	0	0	0	0	0	0
Jul-20	0.48	0.28	0.76	489	282	765	122	24.9%
Aug-20	0.02	0	0.06	23	0	58	16	70.17%
Sep-20	0	0	0	0	0	0	0	0
Oct-20	0	0	0	0	0	0	0	0
Nov-20	0	0	0	0	0	0	0	0
Dec-20	0.06	0.01	0.11	62	14	111	26	40.84%
Jan-21	0.04	0.01	0.08	41	8	81	19	44.64%
Feb-21	0	0	0	0	0	0	0	0
Apr S01 21	0	0	0	0	0	0	0	0
Apr S02 21	0	0	0	0	0	0	0	0

Table 15: Unapportioned density and population estimates of flying lesser black-backed gulls in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Lesser black-backed gull	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0	0	0	0	0	0	0	0
May-19	0	0	0	0	0	0	0	0
Jun-19	0.03	0	0.07	32	0	71	18	54.86%
Jul-19	0.07	0.04	0.11	74	38	108	18	23.98%
Aug-19	0	0	0	0	0	0	0	0
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0	0	0	0	0	0	0	0
Dec-19	0	0	0	0	0	0	0	0
Jan-20	0	0	0	0	0	0	0	0
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0	0	0	0	0	0	0	0
May S01 20	0	0	0	0	0	0	0	0
May S02 20	0	0	0	0	0	0	0	0
Jun-20	0.01	0	0.03	8	0	30	8	100.35%
Jul-20	0.17	0.11	0.26	174	107	265	40	22.89%
Aug-20	0	0	0	0	0	0	0	0
Sep-20	0	0	0	0	0	0	0	0
Oct-20	0	0	0	0	0	0	0	0
Nov-20	0	0	0	0	0	0	0	0
Dec-20	0	0	0	0	0	0	0	0
Jan-21	0	0	0	0	0	0	0	0
Feb-21	0	0	0	0	0	0	0	0
Apr S01 21	0	0	0	0	0	0	0	0
Apr S02 21	0	0	0	0	0	0	0	0

Table 16: Apportioned density and population estimates of flying lesser black-backed gulls in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Lesser black-backed gull	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0	0	0	0	0	0	0	0
May-19	0	0	0	0	0	0	0	0
Jun-19	0.03	0	0.07	32	0	69	18	55.08%
Jul-19	0.08	0.04	0.11	77	43	109	17	21.17%
Aug-19	0	0	0	0	0	0	0	0
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0	0	0	0	0	0	0	0
Dec-19	0	0	0	0	0	0	0	0
Jan-20	0	0	0	0	0	0	0	0
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0	0	0	0	0	0	0	0
May S01 20	0	0	0	0	0	0	0	0
May S02 20	0	0	0	0	0	0	0	0
Jun-20	0.01	0	0.02	8	0	24	7	92.47%
Jul-20	0.18	0.11	0.26	178	111	268	42	23.37%
Aug-20	0	0	0	0	0	0	0	0
Sep-20	0	0	0	0	0	0	0	0
Oct-20	0	0	0	0	0	0	0	0
Nov-20	0	0	0	0	0	0	0	0
Dec-20	0	0	0	0	0	0	0	0
Jan-21	0	0	0	0	0	0	0	0
Feb-21	0	0	0	0	0	0	0	0
Apr S01 21	0	0	0	0	0	0	0	0
Apr S02 21	0	0	0	0	0	0	0	0

Table 17: Unapportioned density and population estimates of flying common terns in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Common tern	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0	0	0	0	0	0	0	0
May-19	0	0	0	0	0	0	0	0
Jun-19	0	0	0	0	0	0	0	0
Jul-19	0	0	0	0	0	0	0	0
Aug-19	0.01	0	0.02	8	0	24	8	98.14%
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0	0	0	0	0	0	0	0
Dec-19	0	0	0	0	0	0	0	0
Jan-20	0	0	0	0	0	0	0	0
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0	0	0	0	0	0	0	0

Flying Common tern	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
May S01 20	0.01	0	0.03	10	0	28	9	89.71%
May S02 20	0.01	0	0.02	8	0	24	8	98.33%
Jun-20	0	0	0	0	0	0	0	0
Jul-20	0.04	0	0.14	43	0	141	44	100.24%
Aug-20	0.02	0	0.04	17	0	45	11	66.22%
Sep-20	0	0	0	0	0	0	0	0
Oct-20	0	0	0	0	0	0	0	0
Nov-20	0	0	0	0	0	0	0	0
Dec-20	0	0	0	0	0	0	0	0
Jan-21	0	0	0	0	0	0	0	0
Feb-21	0	0	0	0	0	0	0	0
Apr S01 21	0	0	0	0	0	0	0	0
Apr S02 21	0	0	0	0	0	0	0	0

Table 18: Apportioned density and population estimates of flying common terns in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Common tern	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0	0	0	0	0	0	0	0
May-19	0	0	0	0	0	0	0	0
Jun-19	0	0	0	0	0	0	0	0
Jul-19	0.06	0.04	0.09	66	42	93	14	20.29%
Aug-19	0.21	0.16	0.27	212	164	275	29	13.26%
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0	0	0	0	0	0	0	0
Dec-19	0	0	0	0	0	0	0	0
Jan-20	0	0	0	0	0	0	0	0
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0	0	0	0	0	0	0	0
May S01 20	0.02	0	0.04	19	3	42	11	54.63%
May S02 20	0.01	0	0.03	14	2	33	9	62.55%
Jun-20	0	0	0	0	0	0	0	0
Jul-20	0.07	0	0.17	71	5	177	50	69.98%
Aug-20	0.69	0.39	1.09	694	395	1101	186	26.8%
Sep-20	0.06	0	0.16	57	0	157	53	91.99%
Oct-20	0	0	0	0	0	0	0	0
Nov-20	0	0	0	0	0	0	0	0
Dec-20	0	0	0	0	0	0	0	0
Jan-21	0	0	0	0	0	0	0	0
Feb-21	0	0	0	0	0	0	0	0
Apr S01 21	0	0	0	0	0	0	0	0
Apr S02 21	0	0	0	0	0	0	0	0

Table 25: Unapportioned density and population estimates of flying guillemots in the Berwick Bank Development Array only, calculated using design-based analysis

Table 26: Apportioned density and population estimates of flying guillemots in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Guillemot	Density Estimate (birds/ km ²)	Lower 95% CI (birds/ km ²)	Upper 95% CI (birds/ km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0.59	0.36	0.89	601	368	902	135	22.31%
May-19	0.65	0.5	0.81	659	506	823	81	12.24%
Jun-19	0.35	0.2	0.52	354	204	523	83	23.37%
Jul-19	0.07	0.03	0.11	68	27	112	24	34.39%
Aug-19	0.01	0	0.02	8	0	24	8	103.02%
Sep-19	0.03	0	0.09	32	0	88	24	74.4%
Oct-19	0.17	0.03	0.41	171	33	413	101	59.04%
Nov-19	0.14	0.05	0.24	142	50	240	51	35.72%
Dec-19	0.02	0	0.05	23	0	55	14	61.92%
Jan-20	0.21	0.1	0.31	214	103	316	54	25.05%
Feb-20	0.05	0.02	0.09	54	23	89	17	31.07%
Mar-20	2.13	0.9	3.34	2153	915	3379	623	28.91%

Flying Guillemot	Density Estimate (birds/ km ²)	Lower 95% CI (birds/ km ²)	Upper 95% CI (birds/ km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
May S01 20	0.35	0.14	0.69	358	146	701	143	39.84%
May S02 20	0.52	0.31	0.73	523	311	741	105	19.98%
Jun-20	0.69	0.39	1.02	703	390	1032	171	24.29%
Jul-20	0.03	0.01	0.05	31	8	56	13	39.9%
Aug-20	0.02	0	0.05	16	0	48	15	90.88%
Sep-20	0.02	0	0.08	25	0	81	25	97.18%
Oct-20	0.09	0.04	0.13	87	41	133	24	27.86%
Nov-20	0.11	0.04	0.18	109	42	186	38	34.73%
Dec-20	0.12	0.05	0.18	119	56	184	34	28.19%
Jan-21	0.26	0.14	0.4	268	146	406	69	25.5%
Feb-21	0.09	0.04	0.13	87	43	134	24	26.62%
Apr S01 21	0.63	0.43	0.88	641	434	887	116	18.01%
Apr S02 21	0.36	0.24	0.5	364	240	502	70	19.11%

Table 27: Unapportioned density and population estimates of flying razorbills in the Berwick Bank Development Array only, calculated using design-based analysis

Table 28: Apportioned density and population estimates of flying razorbills in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Razorbill	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0.21	0.1	0.34	213	104	343	61	28.62%
May-19	0	0	0	1	1	1	45.13%	
Jun-19	0	0	0	1	0	2	1	95.82%
Jul-19	0	0	0	1	0	2	1	87.42%
Aug-19	0	0	0	0	0	0	0	
Sep-19	0	0	0	1	0	3	1	89.05%
Oct-19	0.06	0	0.17	60	3	171	48	80.51%
Nov-19	0.02	0	0.05	19	0	52	16	83.73%
Dec-19	0.02	0	0.06	25	3	57	14	55.07%
Jan-20	0.07	0.02	0.12	71	23	125	27	37.31%
Feb-20	0	0	0.01	3	0	6	2	70.97%
Mar-20	0.61	0.34	0.94	616	348	947	153	24.72%
May S01 20	0	0	0	0	0	0	0	
May S02 20	0	0	0	1	0	2	1	91.4%
Jun-20	0.01	0	0.02	9	0	24	8	90.21%
Jul-20	0.01	0	0.02	9	0	24	8	95.37%
Aug-20	0	0	0	0	0	0	0	
Sep-20	0	0	0	0	0	0	0	
Oct-20	0.19	0.04	0.39	196	40	394	93	47.23%
Nov-20	0.02	0	0.06	19	0	60	16	84.38%
Dec-20	0.01	0	0.03	10	0	30	8	80.85%
Jan-21	0.12	0.03	0.24	127	31	245	54	42.54%
Feb-21	0.07	0.01	0.14	67	14	138	32	48.06%
Apr S01 21	0.11	0.04	0.18	108	44	181	36	32.61%
Apr S02 21	0.02	0	0.05	20	1	53	16	80.52%

Table 29: Unapportioned density and population estimates of flying puffins in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Puffin	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0.02	0.01	0.04	22	6	45	11	48%
May-19	0.05	0.01	0.09	49	15	89	21	42.15%
Jun-19	0.02	0	0.04	16	0	38	10	62.16%
Jul-19	0.02	0	0.06	22	0	59	16	72.45%
Aug-19	0.03	0	0.09	31	0	93	29	94.33%
Sep-19	0.02	0	0.07	24	0	72	24	99.26%
Oct-19	0.01	0	0.02	6	0	18	6	99.17%
Nov-19	0	0	0	0	0	0	0	
Dec-19	0	0	0	0	0	0	0	
Jan-20	0	0	0	0	0	0	0	
Feb-20	0	0	0	0	0	0	0	
Mar-20	0.1	0.03	0.17	98	34	173	36	36.94%
May S01 20	0.01	0	0.04	11	0	36	10	96.92%

Flying Puffin	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
May S02 20	0	0	0	0	0	0	0	0
Jun-20	0.01	0	0.02	9	0	24	8	92.16%
Jul-20	0.02	0	0.07	25	0	68	18	72.13%
Aug-20	0	0	0	0	0	0	0	
Sep-20	0	0	0	0	0	0	0	
Oct-20	0	0	0	0	0	0	0	
Nov-20	0	0	0	0	0	0	0	
Dec-20	0	0	0	0	0	0	0	
Jan-21	0	0	0	0	0	0	0	
Feb-21	0	0	0	0	0	0	0	
Apr S01 21	0.04	0	0.09	41	0	94	24	57.12%
Apr S02 21	0.01	0	0.02	8	0	24	8	94.09%

Table 30: Apportioned density and population estimates of flying puffins in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Puffin	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0.08	0.02	0.16	80	21	163	37	45.78%
May-19	0.06	0.02	0.11	63	23	109	23	36.41%
Jun-19	0.02	0	0.04	19	0	40	10	53.72%
Jul-19	0.03	0	0.07	29	3	67	16	54.49%
Aug-19	0.05	0	0.13	54	0	136	36	65.87%
Sep-19	0.02	0	0.07	24	0	72	24	98.61%
Oct-19	0.01	0	0.02	6	0	18	6	98.36%
Nov-19	0	0	0	0	0	0	0	
Dec-19	0	0	0	0	0	0	0	
Jan-20	0	0	0	0	0	0	0	
Feb-20	0	0	0	0	0	0	0	
Mar-20	0.12	0.05	0.21	121	46	213	44	36.29%
May S01 20	0.04	0	0.07	38	0	72	19	48.19%
May S02 20	0.01	0	0.02	8	0	24	8	94.01%
Jun-20	0.01	0	0.02	9	0	24	8	91.48%
Jul-20	0.02	0	0.05	24	0	56	17	73.37%
Aug-20	0	0	0	0	0	0	0	
Sep-20	0	0	0	0	0	0	0	
Oct-20	0	0	0	2	0	4	2	94.75%
Nov-20	0	0	0	0	0	0	0	
Dec-20	0	0	0	0	0	0	0	
Jan-21	0	0	0	0	0	0	0	
Feb-21	0	0	0	0	0	0	0	
Apr S01 21	0.04	0	0.08	40	0	84	22	54.66%
Apr S02 21	0.01	0	0.02	9	0	24	8	89.99%

Table 37: Unapportioned density and population estimates of flying gannets in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Gannet	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0.15	0.08	0.24	147	82	238	38	25.87%
May-19	0.41	0.31	0.52	419	316	530	56	13.27%
Jun-19	0.79	0.53	1.11	797	534	1125	157	19.68%
Jul-19	1.48	1.13	1.85	1499	1145	1869	184	12.23%
Aug-19	1.39	1.12	1.69	1409	1132	1712	149	10.54%
Sep-19	2.49	1.98	3.09	2513	2006	3124	284	11.28%
Oct-19	0.47	0.35	0.62	479	356	627	70	14.59%
Nov-19	0.13	0.07	0.19	131	76	191	31	23.35%
Dec-19	0	0	0	0	0	0	0	0
Jan-20	0.01	0	0.02	8	0	23	7	87.73%
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0.19	0.09	0.29	193	93	295	52	26.97%
May S01 20	0.29	0.17	0.47	298	171	471	80	26.88%
May S02 20	0.71	0.48	1.01	721	486	1018	141	19.51%
Jun-20	0.88	0.7	1.1	891	706	1115	104	11.63%
Jul-20	1.55	1.23	1.87	1570	1248	1894	162	10.31%
Aug-20	0.7	0.55	0.86	704	555	873	87	12.32%
Sep-20	0.92	0.59	1.36	933	599	1374	208	22.2%
Oct-20	0.34	0.25	0.42	344	256	427	45	13%
Nov-20	0.79	0.54	1.06	796	542	1073	139	17.4%
Dec-20	0.02	0	0.04	17	0	39	11	62.25%
Jan-21	0.05	0.01	0.09	48	8	92	22	45.46%
Feb-21	0.04	0	0.08	39	0	77	20	50.93%
Apr S01 21	0.46	0.32	0.57	468	327	579	65	13.89%
Apr S02 21	0.58	0.25	1.11	585	258	1128	234	39.97%

Table 38: Apportioned density and population estimates of flying gannets in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Gannet	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0.14	0.08	0.22	145	83	227	37	25.21%
May-19	0.41	0.31	0.52	419	313	529	58	13.69%
Jun-19	0.8	0.52	1.13	806	531	1142	167	20.7%
Jul-19	1.48	1.1	1.86	1494	1117	1877	194	12.96%
Aug-19	1.39	1.12	1.67	1410	1129	1689	151	10.67%
Sep-19	2.46	1.92	3.03	2486	1939	3063	292	11.73%
Oct-19	0.48	0.36	0.61	481	360	618	67	13.88%
Nov-19	0.13	0.08	0.19	134	81	196	31	23.27%
Dec-19	0	0	0	0	0	0	0	0
Jan-20	0.01	0	0.02	8	0	24	8	91.18%
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0.19	0.1	0.29	193	104	299	51	26.43%

Flying Gannet	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
May S01 20	0.29	0.18	0.47	298	180	472	76	25.42%
May S02 20	0.72	0.49	1.02	732	493	1033	138	18.73%
Jun-20	0.88	0.7	1.08	895	709	1088	100	11.15%
Jul-20	1.53	1.23	1.86	1544	1243	1881	169	10.92%
Aug-20	0.69	0.52	0.86	701	527	872	89	12.7%
Sep-20	0.94	0.59	1.34	946	596	1351	206	21.67%
Oct-20	0.34	0.25	0.42	342	256	421	45	13.01%
Nov-20	0.79	0.53	1.07	797	535	1086	142	17.78%
Dec-20	0.02	0	0.03	16	0	32	10	64.85%
Jan-21	0.05	0.01	0.09	49	15	94	22	43.56%
Feb-21	0.04	0	0.08	40	4	84	21	51.59%
Apr S01 21	0.46	0.33	0.58	469	333	587	66	13.96%
Apr S02 21	0.58	0.22	1.1	587	226	1108	228	38.79%

Table 39: Unapportioned density and population estimates of flying shags in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Shag	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0	0	0	0	0	0	0	0
May-19	0	0	0	0	0	0	0	0
Jun-19	0	0	0	0	0	0	0	0
Jul-19	0	0	0	0	0	0	0	0
Aug-19	0	0	0	0	0	0	0	0
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0	0	0	0	0	0	0	0
Dec-19	0	0	0	0	0	0	0	0
Jan-20	0	0	0	0	0	0	0	0
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0	0	0	0	0	0	0	0
May S01 20	0	0	0	0	0	0	0	0
May S02 20	0	0	0	0	0	0	0	0
Jun-20	0	0	0	0	0	0	0	0
Jul-20	0	0	0	0	0	0	0	0
Aug-20	0	0	0	0	0	0	0	0
Sep-20	0	0	0	0	0	0	0	0
Oct-20	0	0	0	0	0	0	0	0
Nov-20	0	0	0	0	0	0	0	0
Dec-								

Table 40: Apportioned density and population estimates of flying shags in the Berwick Bank Development Array only, calculated using design-based analysis

Flying Shag	Density Estimate (birds/km ²)	Lower 95% CI (birds/km ²)	Upper 95% CI (birds/km ²)	Population Estimate (number)	Lower 95% CI (number)	Upper 95% CI (number)	SD	CV
Survey								
Mar-19	0	0	0	0	0	0	0	0
May-19	0	0	0	0	0	0	0	0
Jun-19	0	0	0	0	0	0	0	0
Jul-19	0	0	0	0	0	0	0	0
Aug-19	0	0	0	0	0	0	0	0
Sep-19	0	0	0	0	0	0	0	0
Oct-19	0	0	0	0	0	0	0	0
Nov-19	0	0	0	0	0	0	0	0
Dec-19	0	0	0	0	0	0	0	0
Jan-20	0	0	0	0	0	0	0	0
Feb-20	0	0	0	0	0	0	0	0
Mar-20	0	0	0	0	0	0	0	0
May S01 20	0	0	0	0	0	0	0	0
May S02 20	0	0	0	0	0	0	0	0
Jun-20	0	0	0	0	0	0	0	0
Jul-20	0	0	0	0	0	0	0	0
Aug-20	0	0	0	0	0	0	0	0
Sep-20	0	0	0	0	0	0	0	0
Oct-20	0	0	0	0	0	0	0	0
Nov-20	0	0	0	0	0	0	0	0
Dec-20	0	0	0	0	0	0	0	0
Jan-21	0	0	0	0	0	0	0	0
Feb-21	0	0	0	0	0	0	0	0
Apr S01 21	0	0	0	0	0	0	0	0
Apr S02 21	0	0	0	0	0	0	0	0



 **sse** | For a better
world of energy